



ENGINEERED FLEXIBLE PRODUCTS, INC.

5331 Quam Ave., N.E.
St. Michael, MN 55376

Metal Hose - Ultra High Pressure Hose

RF67-XFC

| Nominal Hose I.D. (in.) | Hose O.D. (in.) | Weight Per FT. (Lbs.) | Min. Live Length for Vibration (in.) | Minimum Bend Radius (in.) | | Maximum Working Pressure (PSIG) @ 70° F | Maximum Test Pressure(PSIG) @ 70° F | Nominal Burst Pressure (PSIG) @ 70° F |
|-------------------------------|-----------------------|-----------------------------|--|---------------------------|-------------------------|--|---|---|
| | | | | Static Bend | Intermittent Flexing | | | |
| 1/4 | .68 | .62 | 6.00 | 2.500 | 11.500 | | | |
| 3/8 | .90 | .97 | 7.00 | 3.750 | 15.000 | | | |
| 1/2 | 1.04 | 1.34 | 8.00 | 4.500 | 16.500 | Please | Please | Please |
| 3/4 | 1.52 | 2.56 | 9.00 | 6.500 | 30.500 | Consult | Consult | Consult |
| 1 | 1.93 | 3.69 | 10.00 | 9.000 | 35.000 | Factory | Factory | Factory |
| 1-1/4 | 2.15 | 5.08 | 12.00 | 10.000 | 38.000 | | | |
| 1-1/2 | 2.54 | 6.63 | 14.00 | 12.000 | 41.000 | | | |
| 2 | 3.04 | 8.07 | 18.00 | 15.000 | 48.000 | | | |